

## **SECTION 1: Identification**

## 1.1 Product identifier

Product name Kryptonite Hand Cleaner

Product number 10B16C, 10B16E

Brand PIC

#### 1.2 Other means of identification

No data available.

## 1.3 Recommended use of the chemical and restrictions on use

No data available.

## 1.4 Supplier's details

Name PIC

Address 4408 Glenview Dr

Haltom City, TX 76117

**USA** 

 Telephone
 800-359-8031

 Fax
 817-281-1659

 email
 info@picdfw.com

## 1.5 Emergency phone number(s)

Infotrac: 1-800-535-5053, 24 hr

## **SECTION 2: Hazard identification**

## **General hazard statement**

Not applicable

## 2.1 Classification of the substance or mixture

#### GHS classification in accordance with OSHA (29 CFR 1910.1200)

- Eye damage/irritation (chapter 3.3), Cat. 1
- Sensitization, respiratory (chapter 3.4), Cat. 1
- Sensitization, skin (chapter 3.4), Cat. 1
- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3
- Flammable liquids (chapter 2.6), Cat. 3
- Acute toxicity, inhalation (chapter 3.1), Cat. 2

- Hazardous to the aquatic environment acute hazard (chapter 4.1), Cat. 2
- Hazardous to the aquatic environment long-term hazard (chapter 4.1), Cat. 2

## 2.2 GHS label elements, including precautionary statements

## **Pictogram**



Signal word	Danger
-------------	--------

Hazard statement(s)

H315 Causes skin irritation

H317 May cause an allergic skin reaction
H318 Causes serious eve damage

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled

H335 May cause respiratory irritation
H336 May cause drowsiness or dizziness

H226 Flammable liquid and vapor

H401 Toxic to aquatic life

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

P261 Avoid breathing dust/fume/gas/mist/vapours/spray.

P264 Wash ... thoroughly after handling.

P271 Use only outdoors or in a well-ventilated area.

P272 Contaminated work clothing should not be allowed out of the workplace.
P280 Wear protective gloves/protective clothing/eye protection/face protection.

P284 [In case of inadequate ventilation] wear respiratory protection.

P302+P352 IF ON SKIN: Wash with plenty of water/...

P304+P340 IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove

contact lenses if present and easy to do. Continue rinsing.

P312 Call a POISON CENTER/doctor/... if you feel unwell.

P321 Specific treatment (see ... on this label).

P332+P313 If skin irritation occurs: Get medical advice/attention.

P333+P313 If skin irritation or a rash occurs: Get medical advice/attention.

P342+P311 If experiencing respiratory symptoms: Call a POISON CENTER/doctor

P362+P364 Take off contaminated clothing and wash it before reuse.
P403+P233 Store in a well ventilated place. Keep container tightly closed.

P405 Store locked up.

P501 Dispose of contents/container to an approved waste disposal plant.

P210 Keep away from heat, hot surfaces, sparks, open flames, and other ignition

sources. No smoking.

P233 Keep container tightly closed.

P240 Ground/bond container and receiving equipment.

P241 Use explosion-proof electrical/ventilating/lighting/.../equipment.

P242 Use only non-sparking tools.

P243 Take precautionary measures against static discharge.

P303+P361+P353 IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse

skin with water/shower.

P370+P378 In case of fire: Use ... to extinguish.
P403+P235 Store in a well ventilated place. Keep cool.

P273 Avoid release to the environment.

P391 Collect spillage.

#### 2.3 Other hazards which do not result in classification

No data available.

## Statement regarding ingredients of unknown toxicity (OSHA)

< .3% of this product consists of chemicals of unknown toxicity

## **SECTION 3: Composition/information on ingredients**

#### 3.2 Mixtures

Other names / synonyms No data available.

Impurities and stabilizing additives 
No data available.

### **Hazardous components**

### 1. Component 1 (trade secret)

Concentration >= 20 - <= 50 % (Volume)

- Flammable liquids (chapter 2.6), Cat. 3
- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3
- Aspiration hazard (chapter 3.10), Cat. 1
- Hazardous to the aquatic environment acute hazard (chapter 4.1), Cat. 2
- Hazardous to the aquatic environment long-term hazard (chapter 4.1), Cat. 2

#### 2. Tergitol Type NP-4

Concentration >= 4.7 - <= 14.55 % (Volume)

CAS no. 127087-87-0

- Acute toxicity, oral (chapter 3.1), Cat. 4
- Acute toxicity, inhalation (chapter 3.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 1
- Hazardous to the aquatic environment acute hazard (chapter 4.1), Cat. 2
- Hazardous to the aquatic environment long-term hazard (chapter 4.1), Cat. 2

H302+H332 Harmful if swallowed or if inhaled H318 Causes serious eve damage

H411 Toxic to aquatic life with long lasting effects

### 3. DIETHANOLAMINE

Concentration >= 1 - <= 2 % (Volume)

EC no. 203-868-0 CAS no. 111-42-2 Index no. 603-071-00-1

- Skin corrosion/irritation (chapter 3.2), Cat. 2
- Acute toxicity, oral (chapter 3.1), Cat. 4
- Sensitization, respiratory (chapter 3.4), Cat. 1
- Hazardous to the aquatic environment long-term hazard (chapter 4.1), Cat. 4
- Eye damage/irritation (chapter 3.3), Cat. 2A
- Sensitization, skin (chapter 3.4), Cat. 1

- Specific target organ toxicity, repeated exposure (chapter 3.9), Cat. 1

H302 Harmful if swallowed H315 Causes skin irritation

H317 May cause an allergic skin reaction
H318 Causes serious eye damage
H319 Causes serious eye irritation

H334 May cause allergy or asthma symptoms or breathing difficulties if inhaled
H372 Causes damage to organs through prolonged or repeated exposure
H373 May cause damage to organs through prolonged or repeated exposure

H413 May cause long lasting harmful effects to aquatic life

## 4. N-Butyl Acetate

Concentration >= 1 - <= 2 % (Volume)

EC no. 204-658-1 CAS no. 123-86-4 Index no. 607-025-00-1

- Flammable liquids (chapter 2.6), Cat. 3

- Specific target organ toxicity, single exposure (chapter 3.8), Cat. 3

H226 Flammable liquid and vapor

H336 May cause drowsiness or dizziness

## 5. Poly(oxy-1,2-ethanediyl), alpha-(dinonylphenyl)-omega-hydroxy-

Concentration >= 0.1 - <= 0.3 % (Volume)

CAS no. 9014-93-1

- Hazardous to the aquatic environment - acute hazard (chapter 4.1), Cat. 1

- Hazardous to the aquatic environment - long-term hazard (chapter 4.1), Cat. 1

H410 Very toxic to aquatic life with long lasting effects

#### Trade secret statement (OSHA 1910.1200(i))

Any concentration shown as a range is to protect confidentiality or is due to batch variation. While some substances are claimed as trade secret in accordance with the provision of OSHA 29 CFR 1910.1200(i), all known hazards are clearly communicated within this document.

## **SECTION 4: First-aid measures**

## 4.1 Description of necessary first-aid measures

General advice No data available.

If inhaled If irritation occurs, move to fresh air.

In case of skin contact Prolonged skin contact may cause irritation or dermatitis.

In case of eye contact May cause slight to moderate irritation

If swallowed May cause vomiting. Do not induce vomiting.

Personal protective equipment for first-aid responders

None required

## 4.2 Most important symptoms/effects, acute and delayed

No data available.

## 4.3 Indication of immediate medical attention and special treatment needed, if necessary

No data available.

## **SECTION 5: Fire-fighting measures**

### 5.1 Suitable extinguishing media

Use extinguishing media appropriate for surrounding fire.

### 5.2 Specific hazards arising from the chemical

No data available.

### 5.3 Special protective actions for fire-fighters

Wear self-contained breathing apparatus for firefighting if necessary.

#### **Further information**

Keep away from strong oxidizers.

#### SECTION 6: Accidental release measures

### 6.1 Personal precautions, protective equipment and emergency procedures

None identified

## 6.2 Environmental precautions

No data available.

#### 6.3 Methods and materials for containment and cleaning up

Coat with absorbent material and place into container. Dispose of in state or federal approved land fill.

#### Reference to other sections

No data available.

## **SECTION 7: Handling and storage**

#### 7.1 Precautions for safe handling

Handle in accordance with good industrial hygiene and safety practices.

#### 7.2 Conditions for safe storage, including any incompatibilities

Ideal storage environment is in a climate controlled room. Exposure to heat will cause changes in color and consistency, and may cause the grit to fall to the bottom.

### Specific end use(s)

Product was designed as a hand cleaner.

## **SECTION 8: Exposure controls/personal protection**

## 8.1 Control parameters

### 1. Component 1 (trade secret)

TWA (Inhalation): 200 mg/m3 (as total hydrocarbon vapor); USA (ACGIH)

## 2. Component 1 (trade secret)

TLV® (Dermal): 200 mg/m3 (as total hydrocarbon vapor); USA (ACGIH)

Absorbed thorugh skin

### 3. DIETHANOLAMINE (CAS: 111-42-2 EC: 203-868-0)

TWA (Inhalation): 2 ppm; USA (OSHA)

### 4. DIETHANOLAMINE (CAS: 111-42-2 EC: 203-868-0)

TLV® (Inhalation): 1 ppm; USA (ACGIH)

# 5. n-Butyl-acetate (CAS: 123-86-4)

PEL (Inhalation): 150 ppm (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

## 6. n-Butyl-acetate (CAS: 123-86-4)

PEL (Inhalation): 710 mg/m3 (OSHA)

OSHA Annotated Table Z-1, www.osha.gov

## 7. n-Butyl-acetate (CAS: 123-86-4)

STEL (Inhalation): 200 ppm (ACGIH)

OSHA Annotated Table Z-1, www.osha.gov

## 8. n-Butyl-acetate (CAS: 123-86-4)

TWA (Inhalation): 150 ppm, (ST) 200 ppm (ACGIH)

OSHA Annotated Table Z-1, www.osha.gov

#### 8.2 Appropriate engineering controls

None identified

## 8.3 Individual protection measures, such as personal protective equipment (PPE)

## Eye/face protection

Avoid contact with eyes

## Skin protection

None identified

## **Body protection**

None identified

## Respiratory protection

None identified

#### Thermal hazards

None identified

#### **Environmental exposure controls**

None identified

## **SECTION 9: Physical and chemical properties**

### Information on basic physical and chemical properties

Appearance/form red, gel to liquid consistency as it gets older

Odor Cherry

Odor threshold

PH

No data available.

Initial boiling point and boiling range No data available. Flash point No data available. Evaporation rate No data available. Flammability (solid, gas) Not applicable Upper/lower flammability limits No data available. Upper/lower explosive limits No data available. Vapor pressure No data available. Vapor density No data available. Relative density No data available. Solubility(ies) No data available.

Partition coefficient: n-octanol/water

Auto-ignition temperature

Decomposition temperature

Viscosity

No data available.

Viscosity

Explosive properties

Oxidizing properties

No data available.

No data available.

No data available.

### Other safety information

No data available.

## **SECTION 10: Stability and reactivity**

### 10.1 Reactivity

Stable under normal use conditions.

#### 10.2 Chemical stability

Stable under recommended storage conditions.

## 10.3 Possibility of hazardous reactions

None under normal use conditions.

#### 10.4 Conditions to avoid

Avoid storing in direct sunlight and avoid extremes of temperature.

## 10.5 Incompatible materials

Keep away from strong oxidizers.

## 10.6 Hazardous decomposition products

No data available.

## **SECTION 11: Toxicological information**

## Information on toxicological effects

**Acute toxicity** 

**DIETHANOLAMINE** 

LD50 Oral - Guinea pig - 2000 mg/kg

Citation: Documentation of the Threshold Limit Values and Biological Exposure Indices," 5th ed., Cincinnati, OH, American Conference of Governmental Industrial Hygienists, Inc., 1986Vol. 5, Pg. 197, 1986.

**DIETHANOLAMINE** 

LD50 Skin - Guinea pig - 11900 µg/kg

Citation: National Technical Information Service. Vol. OTS0516742

**DIETHANOLAMINE** 

LDLo Skin - mammal (unspecified) - 3000 mg/kg

Citation: National Technical Information Service. Vol. OTS0520710

**DIETHANOLAMINE** 

LD50 Intraperitoneal - Mouse - 210 mg/kg

Citation: National Technical Information Service. Vol. OTS0516742

**DIETHANOLAMINE** 

LD50 Oral - Mouse - 3300 mg/kg Result: BEHAVIORAL: EXCITEMENT

BEHAVIORAL: MUSCLE CONTRACTION OR SPASTICITY)

BEHAVIORAL: SOMNOLENCE (GENERAL DEPRESSED ACTIVITY)

Citation: Gigiena i Sanitariya. For English translation, see HYSAAV. Vol. 29(11), Pg. 25, 1964.

**DIETHANOLAMINE** 

LD50 Skin - Rabbit - 7640 μg/kg Result: BEHAVIORAL: ATAXIA

SKIN AND APPENDAGES (SKIN): "DERMATITIS, OTHER: AFTER SYSTEMIC EXPOSURE"

MUSCULOSKELETAL: OTHER CHANGES

Citation: National Technical Information Service. Vol. OTS0516797

**DIETHANOLAMINE** 

LD50 Oral - Rabbit - 2200 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968.

**DIETHANOLAMINE** 

LD50 Intramuscular - Rat - 1500 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968.

DIETHANOLAMINE

LD50 Intravenous - Rat - 778 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2,

Pg. 289, 1968.

**DIETHANOLAMINE** 

LD50 Oral - Rat - 620 µg/kg Result: BEHAVIORAL: TREMOR

SKIN AND APPENDAGES (SKIN): HAIR: OTHER

SENSE ORGANS AND SPECIAL SENSES: LACRIMATION: EYE Citation: National Technical Information Service. Vol. OTS0516797

#### **DIETHANOLAMINE**

LD50 Subcutaneous - Rat - 2200 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968.

#### **DIETHANOLAMINE**

LD50 Intraperitoneal - Rat - 120 mg/kg

Citation: Environmental Space Science. English Translation of Kosmicheskaya Biologiya Meditsina. 1967-70.Vol. 2, Pg. 289, 1968

## Component 1

LD50 Oral - Rat - > 5000 mg/kg

#### Component 1

LD50 Skin - Rabbit - > 2000 mg/kg

## Tergitol Type NP-4

LD50 Oral - Rat - 960 - 3980 mg/kg

#### Tergitol Type NP-4

LC50 Inhalation - Rat - 1.15 mg/l - 4 hr

#### Tergitol Type NP-4

LD50 Skin - Rabbit - 2000 - 2991 mg/kg

Poly(oxy-1,2-ethanediyl), alpha-(dinonylphenyl)-omega-hydroxy-

Result: No data available

#### Skin corrosion/irritation

Component 1

Result: Causes skin irritation

### Tergitol Type NP-4

Remarks: Repeated or prolonged contact with the mixture may cause remoal of natural fat from the skin resulting in desiccation of the skin.

## Serious eye damage/irritation

Tergitol Type NP-4

Remarks: Risk of serious damage to eyes.

## Respiratory or skin sensitization

Tergitol Type NP-4

Remarks: Patch test on human volunteers did not demonstrate sensitisation properties

## Germ cell mutagenicity

Tergitol Type NP-4

Remarks: In vitro tests did not show mutagenic effects

## Carcinogenicity

Tergitol Type NP-4

Remarks: Animal testing did not show any carcinogenic effects

#### Reproductive toxicity

Tergitol Type NP-4

Remarks: Did not show teratogenic effects in animal experiments.

### Summary of evaluation of the CMR properties

No data available.

## STOT-single exposure

Component 1

Result: Category 3. Narcotic effects

Tergitol Type NP-4 Result: No data available

## STOT-repeated exposure

Tergitol Type NP-4 Result: No data available

## **Aspiration hazard**

Component 1

Result: Aspiration hazard -- Category 1

Tergitol Type NP-4 Result: No data available

Remarks: Aspiration may cause pulmonary oedema and pneumonitis.

## **Additional information**

No data available.

## **SECTION 12: Ecological information**

#### **Toxicity**

Component 1

LC50 - Lepomis macrochirus (bluegill) - 2200 μg/L - 4 days

Result: Acute

Tergitol Type NP-4

LC50 - Pimephales promelas (fathead minnow) - 3.8 - 602 mg/l - 96 hr

Tergitol Type NP-4

LC50 - Daphnia magna (water flea) - 9.3 - 21.4 mg/l - 48 hr

#### Persistence and degradability

Tergitol Type NP-4

Result: < 60% -- According to the results of tests of biodegradability this product is not readily biodegradable.

Citation: OECD Test Guideline 301B

## **Bioaccumulative potential**

Tergitol Type NP-4

- Other fish

Result: Bioconcentration factor (BCF): 5.9 - 48

## Mobility in soil

Tergitol Type NP-4 Result: No data available

#### Results of PBT and vPvB assessment

Tergitol Type NP-4

Result: not available as chemical safety assessment not required/not conducted

#### Other adverse effects

No data available.

## **SECTION 13: Disposal considerations**

## Disposal of the product

Offer surplus and non-recyclable solutions to a licensed disposal company.

### Disposal of contaminated packaging

Dispose of as unused product.

#### Waste treatment

No data available.

## Sewage disposal

Not ideal for septic waste systems.

## Other disposal recommendations

No data available.

# **SECTION 14: Transport information**

### DOT (US)

Not hazardous if shipped in containers < 1.3 gallons.

**UN Number:** 

Class:

Packing Group:

Proper Shipping Name:

Reportable quantity (RQ):

Marine pollutant:

Poison inhalation hazard:

#### **IMDG**

**UN Number:** 

Class:

Packing Group:

EMS Number:

**Proper Shipping Name:** 

#### **IATA**

**UN Number:** 

Class:

Packing Group:

Proper Shipping Name:

## **SECTION 15: Regulatory information**

#### 15.1 Safety, health and environmental regulations specific for the product in question

## California Prop. 65 Components

This product contains the following chemical known to the State of California to cause cancer: Diethanolamine

### Canadian Domestic Substances List (DSL)

Status: Y

#### **Massachusetts Right To Know Components**

Chemical name: Butyl acetate

CAS number: 123-86-4. Chemical name: Diethanolamine

CAS number: 111-42-2

#### **New Jersey Right To Know Components**

Common name: DIETHANOLAMINE

CAS number: 111-42-2. α-(4-Nonylphenyl)-ω-hydroxy-poly(oxy-1,2-ethanediyl) branched.

CAS # 127087-87-0. Common name: n-BUTYL ACETATE

CAS number: 123-86-4

## Pennsylvania Right To Know Components

Chemical name: Ethanol. 2.2'-iminobis-

CAS number: 111-42-2. α-(4-Nonylphenyl)-ω-hydroxy-poly(oxy-1,2-ethanediyl) branched.

CAS # 127087-87-0. Chemical name: Acetic acid. butvl ester

CAS number: 123-86-4

#### SARA 311/312 Hazards

Acute Health, Acute Health Hazard, Fire Hazard

Immediate (acute) health hazard. immediate (acute) health hazard

fire hazard

## **SARA 313 Components**

This product contains the indicated (\*) toxic chemicals subject to the reporting requirements of Section 313 of the Emergency Planning & Community Right-To-Know Act of 1986 & of 40 CFR 372.

. Fire Hazard

Immediate (acute) health hazard

## **Toxic Substances Control Act (TSCA) Inventory**

Status: Y. This chemical is listed on the TSCA inventory. Any impurities present in this chemical are exempt from listing.

#### 15.2 Chemical Safety Assessment

No data available.

#### **SECTION 16: Other information**

#### 16.1 Further information/disclaimer

PIC provides this SDS in good faith. The information provided in this SDS is correct to the best of our knowledge, information, and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific product designated and may not be valid if product is used in combination with any other chemicals/materials or in any process, unless it is specified in the text of this SDS. No representation is made as to the accuracy or comprehensiveness of the data and PIC shall not be liable for any errors in the data. No representation is made as to the fitness of the data or of the materials for any particular use. No representation or warranty is made as to damages or injury. User assumes all responsibility for compliance with all laws and regulations implicated by use of this material.

## 16.2 Preparation information

Prepared by Craig Rolf